

FORM PTO-1449  U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(Use several sheets if necessary)</i>				ATTY. DOCKET NO.: CV01185K1X	APPLICATION NO.: 10/705,282
				APPLICANT: S. Chackalamannil et al	
				FILING DATE: 11/10/2003	GROUP: 1625

U. S. PATENT DOCUMENTS

*EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB-CLASS	FILING DATE IF APPROPRIATE

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB-CLASS	TRANSLATION YES NO
CH	AA	WO 01 00576 A1	01/04/01	WIPO			
CH	AB	WO 01 00656 A2	01/04/01	WIPO			
CH	AC	WO 01 00657 A2	01/04/01	WIPO			
CH	AD	WO 01 00659 A1	01/04/01	WIPO			
CH	AE	WO 02 071847 A1	09/19/02	WIPO			
CH	AF	WO 02 076965 A1	10/03/02	WIPO			
CH	AG	WO 02 085850 A1	10/31/02	WIPO			X
CH	AH	WO 02 088092 A1	11/07/02	WIPO			X

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

CH	AI	Ahn, Ho-Sam et al., Nonpeptide thrombin receptor antagonists, <i>Drugs of the Future</i> , 26 (11), (2001): pp. 1065 – 1085.
CH	AJ	Chan, Barden et al., Antiangiogenic property of human thrombin, <i>Microvascular Research</i> , 66(1) (2003), pp. 1 – 14.
CH	AK	Chang, M.C. et al., Thrombin-stimulated growth, clustering, and collagen lattice contraction of human gingival fibroblasts is associated with its protease activity, <i>Journal of Periodontology</i> , 72(3), (2001), pp. 303-13.
CH	AL	Chambers, R.C. et al., Coagulation cascade proteases and tissue fibrosis, <i>Biochemical Society Transactions</i> , 30(2), (2002), pp. 194-200.
CH	AM	Cunningham, Malcolm A. et al., Protease-activated Receptor 1 Mediates Thrombin-dependent, Cell-mediated Renal Inflammation in Crescentic Glomerulonephritis, <i>J. Exp. Med.</i> , Vol. 191(3), (2000), pp 455-461.
CH	AN	D'Andrea, Michael R. et al., Expression of Protease-Activated Receptor-1,-2,-3 and -4 in Control and Experimentally Inflamed Mouse Bladder, <i>American Journal of Pathology</i> , 162(3), (2003), pp. 907-923.
CH	AO	Even-Ram, Sharona, et al., Thrombin receptor overexpression in malignant and physiological invasion processes, <i>Nature Medicine</i> , Vol. 4 (8), (1998), pp. 909-914.
CH	AP	Heckert, Olaf, et al., Sex Steroids Used in Hormonal Treatment Increase Vascular Procoagulant Activity by Inducing Thrombin Receptor (PAR-1) Expression, <i>Circulation</i> , (2001), Vol. 104, pp.2826-2831.
CH	AQ	Jurk, Kerstin et al., Loss of Intact Seven-Transmembrane-Thrombin Receptor on the Platelet Surface of Patients with Acute Ischemic Stroke, <i>Circulation</i> , Vol. 98, 17S Abstract #2382, (1998), pp. I-453.
CH	AR	Kaufmann, R. et al., Meizothrombin, an intermediate of prothrombin cleavage potently activates renal carcinoma cells by interaction with PAR-type thrombin receptors, <i>Oncology Reports</i> ; 10(2), (2003), pp. 493-496.

EXAMINER	DATE CONSIDERED
<i>Carla Dugay</i>	<i>3/15/07</i>

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.
40681

CH	AS	Meli, Rosaria et al., Thrombin and PAR-1 activating peptide increase iNOS expression in cytokine-stimulated C6 glioma cells, <i>Journal of Neurochemistry</i> , 79(3), (2001) pp. 556-563.
CH	AT	Nguyen, Quang-De et al., RhoA- and RhoD-dependent regulatory switch of G α subunit signaling by PAR-1 receptors in cellular invasion, <i>FASEB Journal</i> , 16(6), (2002) pp. 565-576
CH	AU	Remenar, Julius F., et al. Crystal Engineering of Novel Cocrystals of a Triazole Drug with 1,4-Dicarboxylic Acids, <i>J.A. Chem Soc.</i> , Vol. 125 No. 28, (2003), pp.8456-8457.
CH	AV	Roche, Nicolas et al., Effect of acute and chronic inflammatory stimuli on expression of protease-activated receptors 1 and 2 alveolar macrophages, <i>Journal of Allergy and Clinical Immunology</i> , 111 (2), (2003), pp. 367-373.
CH	AW	Schiller, H. et al., Thrombin as a survival factor for cancer cells: thrombin activation in malignant effusions in vivo and inhibition of idarubicin-induced cell death in vitro, <i>Int'l. J. of Clinical Pharmacology and Therapeutics</i> , 40 (8), (2002), pp. 329 – 335.
CH	AX	Strukova, S.M. et al, Thrombin, a regulator of reparation processes in wound healing, <i>Bioorganicheskaya Khimiya</i> , 24 (4), (1998), pp. 288-292.
CH	AY	Tanaka, Nobuhisa et al, Thrombin-induced Ca ²⁺ mobilization in human gingival fibroblasts is mediated by protease-activated receptor-1(PAR-1), <i>Life Sciences</i> 73 (2003), pp. 301-310
CH	AZ	Tellez, Carmen et al., Role and regulation of the thrombin receptor (PAR-1) in human melanoma, <i>Oncogene</i> 22, (2003), pp. 3130-3137.
CH	BA	Tognetto, Michele et al., Proteinase-activated receptor-1 (PAR-1) activation contracts the isolated human renal artery in vitro, <i>British Journal of Pharmacology</i> , 139(1), (2003) pp. 21-27.
CH	BB	Vogel, S.M. et al, Abrogation of thrombin-induced increase in pulmonary microvascular permeability in PAR-1 knockout mice, <i>Physiol Genomics</i> , 4(2), (2000), pp. 137-145.
CH	BC	Wang, Junru et al, Deficiency of microvascular thrombomodulin and up-regulation of protease-activated receptor-1 in irradiated rat intestine: possible link between endothelial dysfunction and chronic radiation fibrosis, <i>American Journal of Pathology</i> , 160(6), (2002) pp. 2063-72.
EXAMINER		DATE CONSIDERED
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.		

40681_1



U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE				ATTY. DOCKET NO.: CV01185K1X	SERIAL NO.: 10/705,282
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				APPLICANT: Chackalamannil, S.	
(Use several sheets if necessary)				FILING DATE: 11/10/2003	GROUP: 1625

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB-CLASS	FILING DATE IF APPROPRIATE
CH	AA 6,063,847	05/16/00				
CH	AB 6,326,380 B1	12/04/01				
CH	AC 6,645,987	11/11/03				
CH	AD 6,894,065	05/17/05				
CH	AE 03/0216437	11/20/03				

FOREIGN PATENT DOCUMENTS

	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB-CLASS	TRANSLATION
						YES
						NO
CH	AF WO/9926943 A	06/03/99				
CH	AG WO/0196330 A	12/20/01				
CH	AH Invitation to pay additional fees	06/05/05				
	AI					
	AJ					

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

CH	AK	Ahn, Ho-Sam, et.al. "Development of proteinase-activated receptor 1 antagonists as therapeutic agents for thrombosis, restenosis and inflammatory diseases", CURRENT PHARMACEUTICAL DESIGN, Vol. 9 (28) pp. 2349 – 2365, (2003).
CH	AL	Asanuma, Kunihiro, et.al. "Thrombin Inhibitor, Argatroban, Prevents Tumor Cell Migration and Bone Metastasis", ONCOLOGY, Vol. 67(2), pp. 166 – 173, (2004).
CH	AM	Asokanathan, Nithiananthan, et.al. "Activation of protease-activated receptor (PAR)-1, PAR-2, and PAR-4 stimulates IL-6, IL-8, and prostaglandin E2 release from human respiratory epithelial cells", JOURNAL OF IMMUNOLOGY, Vol. 168 (7), pp. 3577 – 3585, (2002).
CH	AN	Barrios, Victor, et.al. "Proteinase-activated receptor-2 mediates hyperresponsiveness in isolated guinea pig bronchi.", BIOCHEMICAL PHARMACOLOGY, Vol. 66 (3), pp. 519-525, (2003).
CH	AO	Buresi, M.C., et.al. "Protease-activated receptor-1 stimulates Ca ²⁺ -dependent Cl ⁻ secretion in human intestinal epithelial cells", AMERICAN JOURNAL OF PHYSIOLOGY- GASTRO INTEST LIVER PHYSIOL Vol. 281 (2, Pt. 1), G323-G332, (2001)
CH	AP	Copple, Bryan, L., et. al. "Thrombin and protease-activated receptor-1 agonists promote lipopolysaccharide-induced hepatocellular injury in perfused livers", JOURNAL OF PHARMACOLOGY AND EXPERIMENTAL THERAPEUTICS, Vol. 305 (2), pp. 417 – 425, (2003)
CH	AQ	Chambers, R.C.,et.al. "Coagulation cascade proteases and tissue fibrosis", BIOCHEMICAL SOCIETY TRANSACTIONS, Vol. 30 (2), pp. 194 – 200, (2002).
CH	AR	Chambers, R.C., "Proteinase-activated receptors and the pathophysiology of pulmonary fibrosis", DRUG DEVELOPMENT RESEARCH, Vol. 60(1), pp. 29-35, (2003).
CH	AS	Coughlin, S., et.al. "PARticipation in inflammation. JOURNAL OF CLINICAL INVESTIGATION, 111(1), pp. 25-27, (2003).
CH	AT	D'Andrea, M. et.al., "Expression of protease-activated receptor-1, -2, -3, and -4 in control and experimentally inflamed mouse bladder", AMERICAN JOURNAL OF PATHOLOGY, Vol. 162(3), pp. 907-923, (2003).
CH	AU	Darmoul, Dalila, et.al., "Activation of proteinase-activated receptor 1 promotes human colon cancer cell proliferation through epidermal growth factor receptor transactivation", MOLECULAR CANCER RESEARCH, Vol. 2(9), pp. 514-522, (2004).
CH	AV	Derian, Claudia, et.al., "Therapeutic potential of protease-activated receptor-1 antagonists. Expert Opinion on Investigational Drugs Vol. 12(2), 209-221, (2003).
CH	AW	Even-Ram, Sharona, et. al., "The pattern of expression of protease-activated receptors (PARs) during early trophoblast development", JOURNAL OF PATHOLOGY, Vol. 200(1), pp. 47-52, (2003).

CH	AX	Even-Ram, Sharona, et. al., "Tumor cell invasion is promoted by activation of protease activated receptor-1 in cooperation with the av β 5 integrin", JOURNAL OF BIOLOGICAL CHEMISTRY, Vol. 276(14), pp.10952-10962, (2001).
CH	AY	Feistritzer, Clemens, et.al., "Thrombin Affects Eosinophil Migration via Protease-Activated Receptor-1", INTERNATIONAL ARCHIVES OF ALLERGY AND IMMUNOLOGY, Vol. 135 (1), 12-16, (2004).
CH	AZ	Ferroni, P., et.al., "Platelet activation in type 2 diabetes mellitus" JOURNAL OF THROMBOSIS AND HAEMOSTASIS Vol. 2(8), pp. 1282-1291, (2004).
CH	BA	Flynn, A.N., et.al., "Proteinase-activated receptor 1 (PAR-1) and cell apoptosis" APOPTOSIS, Vol. 9(6), pp. 729-737, (2004).
CH	BB	Fiorucci, Stefano, et.al., "PAR1 antagonism protects against experimental liver fibrosis.Role of proteinase receptors in stellate cell activation" HEPATOLOGY, Vol. 39(2), pp. 365-375 (2004).
CH	BC	Fortini, Mark, "PAR-1 for the course of neurodegeneration" CELL Vol. 116(5), pp. 631-632, (2004).
CH	BD	Gabazza, Esteban C, "Progress in the understanding of protease-activated receptors", INTERNATIONAL JOURNAL OF HEMATOLOGY, Vol. 79(2), pp.117-122, (2004).
CH	BE	Gaca, Marianna, et.al. "Regulation of hepatic stellate cell proliferation and collagen synthesis by proteinase-activated receptors" JOURNAL OF HEPATOLOGY, Vol. 36(3), pp. 362-369, (2002).
CH	BF	Hauck, R.W, et.al. "Alpha-Thrombin stimulates contraction of human bronchial rings by activation of protease-activated receptors" AMERICAN JOURNAL OF PHYSIOLOGY, Vol. 277(1, Pt. 1), L22-L29, (1999).
CH	BG	Howell, D.C.,et.al. "Direct thrombin inhibition reduces lung collagen, accumulation, and connective tissue growth factor mRNA levels in bleomycin-induced pulmonary fibrosis" AMERICAN JOURNAL OF PATHOLOGY Vol. 159(4), pp. 1383-95, (2001).
CH	BH	Jin, Enjing, et.al. "Protease-activated receptor (PAR)-1 and PAR-2 participate in the cell growth of alveolar capillary endothelium in primary lung adenocarcinomas". CANCER Vol. 97(3), pp. 703-713. (2003).
CH	BI	Jurasz, Paul, et.al. "Platelet-cancer interactions: Mechanisms and pharmacology of tumour cell-induced platelet aggregation" BRITISH JOURNAL OF PHARMACOLOGY, Vol. 143(7), pp. 819-826, (2004).
CH	BJ	Kawabata, Atsufumi "Gastrointestinal functions of proteinase-activated receptors" LIFE SCIENCES, Vol. 74(2-3), pp. 247-254, (2003).
CH	BK	Kuroda, Ryotaro, et.al. "Pain information pathways from the periphery to the cerebral cortex" Yakugaku Zasshi, Vol. 123(7), pp. 533-546, (2003).
CH	BL	Lan, Rommel, et.al. "Altered expression and in vivo lung function of protease-activated receptors during influenza A virus infection in mice" AMERICAN JOURNAL OF PHYSIOLOGY: LUNG CELLULAR AND MOLECULAR PHYSIOLOGY, Vol. 286(2), L388-98, (2004).
CH	BM	Liu, Jian, et.al. "Expression of functional protease-activated receptor 1 in human prostate cancer cell lines" UROLOGICAL RESEARCH Vol. 31(3), pp. 163-168, (2003).
CH	BN	Liu, Y., et.al. "Expression of protease-activated receptor 1 in oral squamous cell carcinoma" CANCER LETTERS Vol. 169(2), pp. 173-180, (2001).
CH	BO	Moffatt, James, et.al. "Effects of inhaled thrombin receptor agonists in mice" British Journal of Pharmacology Vol. 143(2), pp. 269-275 (2004).
CH	BP	Miyata, Satoshi, et.al. "Trypsin stimulates integrin α 5 β 1-dependent adhesion to fibronectin and proliferation of human gastric carcinoma cells through activation of proteinase-activated receptor-2" JOURNAL OF BIOLOGICAL CHEMISTRY Vol. 275(7), pp. 4592-4598, (2000).
CH	BQ	Nierodzik, M. L., et.al. "Protease-activated receptor 1 (PAR-1) is required and rate-limiting for thrombin-enhanced experimental pulmonary metastasis" BLOOD Vol. 92(10), pp. 3694-700, (1998).
CH	BR	Rattenholl, Anke, et.al. "Role of proteinase-activated receptors in cutaneous biology and disease" DRUG DEVELOPMENT RESEARCH Vol. 59(4), pp. 408-416, (2003).
CH	BS	Reed, Charles, et. al. "The role of protease activation of inflammation in allergic respiratory diseases" JOURNAL OF ALLERGY AND CLINICAL IMMUNOLOGY, Vol. 114(5), 997-1008, (2004).
CH	BT	Reiter, Rosemarie, et.al. "Regulation of protease-activated receptor I (PAR1) on platelets and responsiveness to thrombin receptor activating peptide (TRAP) during systemic inflammation in humans" THROMBOSIS AND HAEMOSTASIS Vol. 90(5), 898-903 (2003).
CH	BU	Robey, R.B., et.al. "Thrombin is a novel regulator of hexokinase activity in mesangial cells" KIDNEY INTERNATIONAL Vol. 57(6), pp. 2308-18. Journal code: 0323470, (2000)
CH	BV	Roche, Nicholas, et. al. "Effect of acute and chronic inflammatory stimuli on expression of protease-activated receptors 1 and 2 alveolar macrophages. JOURNAL OF ALLERGY AND CLINICAL IMMUNOLOGY Vol. 111(2), pp. 367-373, (2003).

CH	BW	Rohatgi, Tanuja, et.al. "Protease-Activated Receptors in Neuronal Development, Neurodegeneration, and Neuroprotection: Thrombin as Signaling Molecule in the Brain", THE NEUROSCIENTIST, Vol 10 (6), pp. 501 – 512, (2004).
CH	BX	Ruf, W., et.al. "Specificity of coagulation factor signaling" JOURNAL OF THROMBOSIS AND HAEMOSTASIS Vol. 1(7), pp. 1495-1503, (2003).
CH	BY	Sekiguchi, Fumiko, et.al. "Protease-activated receptors (PARs) as therapeutic targets: Development of agonists/antagonists and modulation of gastrointestinal functions" DRUG DESIGN REVIEWS – Online Vol. 1(4), pp. 287-296, (2004).
CH	BZ	Shi, Xiaoli, et.al. "Protease-activated receptors (PAR1 and PAR2) contribute to tumor cell motility and metastasis" MOLECULAR CANCER RESEARCH Vol. 2(7), 395-402, (2004).
CH	CA	Shimizu, Tadamichi, et.al. "Macrophage Migration Inhibitory Factor Is Induced by Thrombin and Factor Xa in Endothelial Cells" JOURNAL OF BIOLOGICAL CHEMISTRY Vol. 279(14), pp. 13729-13737, (2004).
CH	CB	Thamboo, T. P., et. al. "Hep Par 1 expression in carcinoma of the cervix: Implications for diagnosis and prognosis" JOURNAL OF CLINICAL PATHOLOGY Vol. 57(1), 48-53, (2004).
CH	CC	Tran, Thai, et. al. "Protease-activated receptor (PAR)-independent growth and pro-inflammatory actions of thrombin on human cultured airway smooth muscle" British Journal of Pharmacology 138(5), 865-875, (2003).
CH	CD	Vergnolle, Nathalie, et.al. "A role for proteinase-activated receptor-1 in inflammatory bowel diseases", JOURNAL OF CLINICAL INVESTIGATION Vol. 114(10), 1444-56 (2004).
CH	CE	Villari, D., et.al. "Hep Par 1 in gastric and bowel carcinomas: an immunohistochemical study" PATHOLOGY Vol. 34(5), pp. 423-426, (2002).
CH	CF	Wang, Junru, et.al. "Deficiency of microvascular thrombomodulin and up-regulation of protease-activated receptor-1 in irradiated rat intestine: Possible link between endothelial dysfunction and chronic radiation fibrosis" AMERICAN JOURNAL OF PATHOLOGY Vol. 160(6), 2063-2072, (2002).
CH	CG	Yin, Yong-Jun, et.al. "Oncogenic transformation induces tumor angiogenesis: a role for PAR1 activation. FASEB JOURNAL Vol. 17(2), pp. 163-174, (2003).
CH	CH	Yuan Ta Chun, et.al."Protease-activated receptor 1: a role in prostate cancer metastasis" CLINICAL PROSTATE CANCER Vol. 3(3), pp. 189-91, (2004).
CH	CI	Zhang, Xin, et.al. "Correlation of Protease-Activated Receptor-1 With Differentiation Markers in Squamous Cell Carcinoma of the Head and Neck and Its Implication in Lymph Node Metastasis. CLINICAL CANCER RESEARCH Vol. 10(24), pp. 8451-8459, (2004).
	CJ	
	CK	
	CL	
	CM	
	CN	

EXAMINERA

Carrie Haynes

DATE CONSIDERED

3/15/07

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

53157_1